



Admission Standard Orders Cerebral Vascular Accident

Admitting Physician: _____ **Date:** _____ **Time:** _____
Admit to Inpatient: [] Med/Surg [] Telemetry [] ICU
Place in Observation Services: [] Med/Surg [] Telemetry [] Other: _____
Diagnosis: CVA: Type [] Ischemic [] Hemorrhagic [] TIA [] Other: _____
Consult: [] Neurology: _____
 [] Neurosurgery: _____
 [] Other: _____
Allergies: [] _____

Code Status: [] Full [] DNR

Vital Signs: [] Per unit protocol
 [] VS and Neuro checks every _____ minutes for _____ hrs, then every _____ minutes for _____ hrs
 (call MD with changes in neuro status)
 [] VS and Neuro checks every shift [] VS and Neuro check every _____ hrs
 [] Call for SBP greater than _____ SBP less than _____ DBP greater than _____ DBP less than _____
 [] Other: _____

Activity: [] Bed rest [] Up in chair [] Bedside commode [] Ambulate ad lib [] Bathroom privileges [] Turn every _____ hrs

Nursing: [] Daily weight [] Bleeding precautions [] Aspiration precautions
 [] Intake & Output [] Decubitus precautions [] Seizure precautions
 [] Foley to drainage [] HOB at 30 degrees [] Egg crate [] Sequential Compression Device (SCD)
 [] Pulse oximeter [] every shift [] twice a day [] Continuous overnight monitor
 [] Complete Fibrinolytic Checklist [] Glucose checks AC and at bedtime or every _____ hrs
 [] Other: _____

Diet: [] Regular [] Mechanical soft [] Restrict fluid _____ [] Sodium restricted _____ mg
 [] Cardiac/Heart Healthy [] Diabetic (specify) _____ calorie [] Renal/Kidney
 [] NPO [] Full Liquid [] Clear Liquid
 [] Other: _____

Fluids: [] Intravenous: _____ @ _____ ml/hr
 [] Saline lock
 [] Other: _____

Oxygen: [] Nasal Cannula _____ L/min, adjust to keep O2 sat greater than 92%. DC if O2 sat greater than 93 % on RA
 [] Venti Mask _____ % FIO2 [] 100% NRB
 [] Other: _____

Protocols (if available): All protocol orders must be placed in chart
 [] Weight Based Heparin Dosing Protocol (when patient placed on protocol, all associated labs and monitoring is included)
 [] Insulin Infusion Protocol (ICU patients only)

Labs: [] BMP [] CMP [] Fasting lipid profile [] TSH [] UA [] Magnesium [] ESR [] ABG
 [] CBC with differential () Now () In AM () Other _____
 [] CBC without differential () Now () In AM () Other _____
 [] Guaiac stool (if on anticoagulants) [] RPR [] ANA [] B12 [] Other: _____

Studies: [] CXray: [] Portable [] PA/Lateral [] MRI Brain with contrast
 [] EKG [] EEG [] Carotid Doppler study [] Cerebral Arteriogram [] Transcranial doppler
 [] Echocardiogram Dr. _____ to read
 [] MRA Brain without contrast [] Swallow studies [] Noncontrast CT Scan Head
 [] Other: _____

NURSE NOTED	DATE	TIME	DATE / TIME	PHYSICIAN SIGNATURE OR AUTHENTICATION
24 HR. CHART CHECK BY NURSE	DATE	TIME		

	Account Number:	MR Number:
	Patient Name:	
	Admit Date:	

Salt Lake Regional MEDICAL CENTER 1050 East South Temple - Salt Lake City - Utah 84102 (801) 350-4111	DOB	Age	Sex	HT	WT	RM-BD	PT	SVC	FC
	Allergies:								
	Attending Physician Name:								

Ancillary Services:

- Physical Therapy
- Occupational Therapy
- Speech Therapy
- Rehab Evaluation

Medications: (Check the appropriate box)

- Aspirin 325mg PO daily 162mg PO daily 81mg PO daily
- Aspirin/Extended-release Dipyridamole (Aggrenox) 25 mg / 200mg PO every 12 hrs
- Dipyridamole (Persantine) 200mg PO daily
- Clopidogrel (Plavix) _____ mg PO once daily
- Enoxaparin (Lovenox) 40 mg subcutaneous every 24 hrs
- Lisinopril (Zestril, Prinivil) 5mg PO daily 10mg PO daily. If allergic or intolerant to ACEI, use Losartan (Cozaar) 25mg PO daily.

Hold if SBP less than 90 mm or K+ greater than or equal to 5.5 mmol/L or Creatinine greater than or equal to 2.5

- Simvastatin (Zocor) 40 mg PO, every night before bedtime
- Famotidine (Pepcid) 20 mg IV twice daily PO twice daily
- Pantoprazole (Protonix) 40mg IV once daily
- Omeprazole (Prilosec) 20 PO daily
- Nicotine _____ mg topical patch apply daily
- Percocet 5/325 mg PO every 4 hrs PRN for moderate pain
- Morphine Sulfate 2 mg IV every 4 hr PRN severe pain (unless patient is allergic to codeine or morphine)
- Temazepam (Restoril) 15 mg PO qHS PRN sleep. May repeat dose once in one hour if no results.
- Ondansetron (Zofran) 4 mg IV every 8 hrs PRN for nausea and vomiting

Standard Medications: (all orders will be implemented unless crossed out)

Acetaminophen (Tylenol) 650 mg PO every 4 hr PRN mild pain or temp more than 101F (not to exceed 4 grams per 24 hrs)
 Docusate sodium (Colace) 100 mg PO qHS
 MOM 30 ml PO every HS PRN constipation
 Maalox 30 ml PO every 4 hrs PRN heartburn

Additional Meds:

- _____
- _____
- _____
- _____
- _____
- _____
- _____

NURSE NOTED	DATE	TIME	DATE / TIME	PHYSICIAN SIGNATURE OR AUTHENTICATION
24 HR. CHART CHECK BY NURSE	DATE	TIME		



Account Number:	MR Number:
Patient Name:	
Admit Date:	



Salt Lake Regional
 MEDICAL CENTER

1050 East South Temple - Salt Lake City - Utah 84102
 (801) 350-4111

DOB	Age	Sex	HT	WT	RM-BD	PT	SVC	FC
Allergies:								
Attending Physician Name:								